Qty:

: DOOR ASSEMBLY

: D41269404

· D412-694

: 2/28/2008

: N/A

: C1

1 Um:

Each

Monday, 1/7/2008 4:28:59 PM Kim Johnston

Process Sheet

\$

Drawing Name

Part Number

Drawing Number

Project Number

Drawing Revision

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 36652D

Estimate Number

P.O. Number

This Issue

Previous Run

Written By

: 1/7/2008

: 12357

S.O. No. :

: NC

Prsht Rev. : // First Issue

: 27446

Type

: SMALL /MED FAB

Checked & Approved By Comment

: Est Rev: A 05.12.09

Est Rev: B 06.04.18 Est Rev: C 06.07.10

New Issue

New dwg rev. ecn781 Revised per B24659 KJ/RF

Material

Due Date

·EC ΚJ

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0 DC

DOCUMENT CONTROL



Comment: DOCUMENT CONTROL

Issue red decal labels for D412-694-04.

2.0

COMPOSITE ASSY

COMPOSITÉ ASSÉMBLY





Comment: COMPOSITE ASSEMBLY

D412-694-04 Drill Process

- 1- Drill pilot holes Ø(#30) using Dwg Tool D3140-303A for the doublers. Drill (2) holes in two places Ø3/16" (0.188) for the slot opening. Router slot using D3144-T11/-T12 as per Dwg D412-694 page 3.Note: Ensure slot is aligned with mark for reference.
- 2- Drill Pilot holes Ø(#30) using drill Jig D3120-4T1 for bottom cover. Use unibit to open holes to Ø37/64" (0.578) for inserts as per Dwg D412-694 page 3.
- 3- Drill Pilot holes Ø(#30) using drill Jig DT8703-10 for hinges, top cover and D3131-1 spring. Use unibit to open holes to Ø37/64" (0.578) for inserts as per Dwg D412-694 page 3 & 4 (view MM-MM).
- 4- Drill Pilot holes Ø(#1/8") for clevis base and stop at top of the door using drill Jig DT8703-11. Open (1) hole \emptyset (#10) 0.193 for clevis base and (2) holes \emptyset (#19) 0.166 for stop as per Dwg D412-694 page 5 (section FF-FF.)
- 5- Drill Pilot hole Ø(#1/8") for clevis base at bottom of the door using drill Jig DT8703-12. Open hole Ø(#10) 0.193 for clevis base as per Dwg D412-694 page 5 (section FF-FF).
- 6- Ensure 17 1/16" from opposite edge of the door for Ø5/8" hole is in proper location top and bottom.

7- Drill through only (1) hole Ø(5/8") and pilot drill (2) holes Ø(#30) for insert top and bottom. Open (2) holes to 37/64" (0.578) for clevis inserts as per Dwg D412-694 page 5 (section AA-AA).

Dart Ae	rospace	Ltd	•					
W/O:		- A - A - A - A - A - A - A - A - A - A	WC	ORK ORDER CHANG	ES			
DATE	STEP	PROCEDURE CHANGE			Ву	Date Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
•								
Part No	•	PAR #:	Fault Cate	gory:	NCR: Yes	No DQA:	Date: _	
				•	QA: N	C Closed:	Date: _	
NCR:			WORK ORDI	R NON-CONFORMA	NCE (NCR)		
		Description of NC		Corrective Action Secti	on B	Verification	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector
							من عو	

Date: Monday, 1/7/2008 4:28:59 PM Kim Johnston User: **Process Sheet** Drawing Name: DOOR ASSEMBLY Customer: CU-DAR001 Dart Helicopters Services Job Number: 36652D Part Number: D41269404 Job Number: Seq. #: Description: Machine Or Operation: INSPECT WORK TO CURRENT STEP 3.0 QC5 Comment: INSPECT WORK TO CURRENT STEP 4.0 8000528 Comment: Qty.: 21.0000 Each(s) 21.0000 Each(s)/Unit Total: Insert M 19443 Batch M105573 A/R Hysol EA934NA **Expiry Date:** 5.0 COMPOSITE ASSY COMPOSITE ASSEMBLY Comment: COMPOSITE ASSEMBLY 1- Install inserts as per Dwg D412-694 page 3 & 5 (section AA-AA) and page 4 (view MM-MM). 2- Sand flush excess Hysol around the insert on both doors. 6.0 QC5 INSPECT WORK TO CURRENT STEP Comment: INSPECT WORK TO CURRENT STEP Inspect that inserts are flush with the surface. 7.0 COMPOSITE ASSEMBLY Comment: COMPOSITE ASSEMBLY 1. Apply primer filler and reducer around the inserts on both doors. Batch: 106 807 Primer Filler A/R 11045 08-02-07 Batch: 106 803 **A/R** 12375S Reducer 8.0 QC5 INSPECT WORK TO CURRENT STEP Comment: INSPECT WORK TO CURRENT STEP D31101 9.0 Comment: Qtv.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Escutcheon Batch

Dart Ae	rospace L	td								
W/O:			V	VORK ORDER CHA	NGES					
DATE	STEP	PRO	OCEDURE CI	IANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fault Ca	tegory:	NC	R: Yes	No DQ	A:	_ Date: _	· · · · · · · · · · · · · · · · · · ·
						QA: N	C Close	d:	_ Date:	
NCR:			WORK OR	DER NON-CONFOR	RMANCE	(NCR)			
DATE	OTED	Description of NC		,	Section B		Verification		Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Descripti Chief Eng	on 	Sign & Date	Secti		Chief Eng	QC Inspector
										-

Date: Monday, 1/7/2008 4:28:59 PM Kim Johnston User: **Process Sheet** Drawing Name: DOOR ASSEMBLY Customer: CU-DAR001 Dart Helicopters Services Job Number: 36652D Part Number: D41269404 Job Number: Seq. #: Description: **Machine Or Operation:** 10.0 D31103 Handle Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s) Handle B36724 Batch D3111041 11.0 Plate Assembly Comment: Qty.: Total: 1.0000 Each(s) 1.0000 Each(s)/Unit Plate Assembly M 10536-17 Batch 12.0 D31121 Guide Comment: Qty.: Total: 2.0000 Each(s)/Unit 2.0000 Each(s) Guide B35122 Batch 13.0 D31131 Spring Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Spring 11437 Batch 14.0 D31141 Pivot Comment: Qty.: Total : 1.0000 Each(s)/Unit 1.0000 Each(s) **Pivot** B 36726 Batch 15.0 D31165 Seal 110-031-4 Comment: Qty.: 5.6700 f(s)/Unit Total: 5.6700 f(s) Seal 110-031-4 Batch 16.0 D311611 SEAL Comment: Qty.: 1.5000 f(s)/Unit Total: 1.5000 f(s) **SEAL** Batch

rospace L	td								
		WC	ORK ORDER CH	ANGES					***************************************
STEP	PR	OCEDURE CHA	NGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			•						
			•						
2 2 2 2 Tr.						· .			
!									
	PAR #:	Fault Cate	gory:	NC	R: Yes	No DQ	A:	_ Date: _	
					QA: N	/C Close	d:	_ Date: _	
		WORK ORDI	ER NON-CONFO	RMANCE	(NCF	2)			
	Description of NC		Corrective Action Section B		Varif		cation	Annroval	Approval
STEP	Section A	Initial Chief Eng			Cian D			Chief Eng	QC Inspector
			·						
							:		
-			·		,				
	STEP	PAR #: Description of NC	STEP PROCEDURE CHA PAR #: Fault Cate WORK ORDI STEP Description of NC Section A Initial	WORK ORDER CH STEP PROCEDURE CHANGE PAR #: Fault Category: WORK ORDER NON-CONFO STEP Description of NC	WORK ORDER CHANGES STEP PROCEDURE CHANGE PAR #: Fault Category: NC WORK ORDER NON-CONFORMANCE WORK ORDER NON-CONFORMANCE STEP Description of NC Section A Corrective Action Section B Initial Action Description	STEP PROCEDURE CHANGE By PAR #: Fault Category: NCR: Yes QA: N WORK ORDER NON-CONFORMANCE (NCR STEP Description of NC Section A Initial Action Description Sign &	STEP PROCEDURE CHANGE By Date PAR #: Fault Category: NCR: Yes No DQ. QA: N/C Close WORK ORDER NON-CONFORMANCE (NCR) STEP Description of NC Corrective Action Section B Section B Section A Section Description Sign & Section B	WORK ORDER CHANGES STEP PROCEDURE CHANGE By Date Qty Description of NC Corrective Action Section B Section C Secti	STEP PROCEDURE CHANGE By Date Qty Chief Eng / Prod Mgr PAR #: Fault Category: NCR: Yes No DQA: Date: QA: N/C Closed: Date: WORK ORDER NON-CONFORMANCE (NCR) STEP Description of NC

Date: Monday, 1/7/2008 4:28:59 PM User: Kim Johnston **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: DOOR ASSEMBLY Part Number: D41269404 Job Number: 36652D Job Number: Seq. #: Description: **Machine Or Operation:** 17.0 D3119042 Cover Assembly Comment: Qtv.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Cover Assembly B27725 Batch 18.0 D31202 Cover, Flat Pattern Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Cover, Flat Pattern Batch 19.0 D31204 Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Cover B 17424 Batch 20.0 D31251 Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Lever M10536-17 Batch 21.0 D31253 Lever Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Lever M10536-17 Batch 22.0 D31255 Lever Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Lever M10536-17 Batch 23.0 D31257 Lever Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Lever M10536-17 Batch Page 4 Form mrocess

Dart Ae	rospace L	.ta							
W/O:			WC	ORK ORDER CHANG	ES				
DATE	STEP	PR	OCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
÷					-				
	# # # # # # # # # # # # # # # # # # #								
Part No	:	PAR #:	Fault Cate	jory:	_ NCR: Yes	No DQA	:	_ Date: _	
					QA: N	C Closed	:	_ Date: _	
NCR:			WORK ORD	ER NON-CONFORMA	ANCE (NCR)			
		Description of NC		Corrective Action Section B			ation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Sectio		Chief Eng	QC Inspector
i									
	† : .				-			•	

Date: Monday, 1/7/2008 4:28:59 PM User: Kim Johnston **Process Sheet Drawing Name: DOOR ASSEMBLY** Customer: CU-DAR001 Dart Helicopters Services Job Number: 36652D Part Number: D41269404 Job Number: Seq. #: Description: Machine Or Operation: 24.0 D31291 Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Lever M10536-17 Batch 25.0 D31301 Clevis Base Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Clevis Base M10536-17 Batch 26.0 D31311 Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Stop M10536-17 Batch 27.0 D31341 Rod Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Rod Batch 28.0 D31344 Rod Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Rod B29699 Batch 29.0 D314008 Door Kit Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Door Kit B366652D M106688 min 2008/2/15 Batch 30.0 D31431 Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Clevis M10536-17 Batch

Page 5

Form 'roroce\$

W/O:		WORK ORDER C	HANGES				·
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				,			
Some Citization							
							,
Part No:	·	PAR #: Fault Category:	NCR: Yes	s No DQ	A :	Date:	
			QA:	N/C Closed	d:	Date:	

NCR:		1	NORK ORE	DER NON-CONFORMANC	E (NCR)			
		Description of NC		Corrective Action Section B		Verification	Approval	Approval QC Inspector
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	
							•	
944 - 40. A								
•						-		

Date: Monday, 1/7/2008 4:28:59 PM User: Kim Johnston **Process Sheet** Drawing Name: DOOR ASSEMBLY Customer: CU-DAR001 Dart Helicopters Services Job Number: 36652D Part Number: D41269404 Job Number: Seq. #: Description: Machine Or Operation: 31.0 D31433 Clevis Comment: Qty.: 3.0000 Each(s) Total: Clevis M10536-17 32.0 D3144117 Doubler Comment: Qty.: Total: 1.0000 Each(s) 1.0000 Each(s)/Unit Doubler <u>BJ2022</u> Batch 33.0 D3144119 Doubler Comment: Qty.: Total: 1.0000 Each(s) 1.0000 Each(s)/Unit Doubler $B \ni > \omega \le 3$ Batch 34.0 D3144121 Doubler Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s) Doubler B22024 Batch 35.0 D31452 Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Bracket B26708 Batch 36.0 D31462 Hinge Bracket Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Hinge Bracket <u>B23752</u> Batch 37.0 D31471 Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pin 30824 Batch Page 6

W/O:		WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
%.										
٠ نړ										
	,									
Part No		PAP #· Fault Category:	NCP: Vos	No DO	Δ.	Data	,			

Part No:	PAR #:	Fault Category:	NCR:	Yes	No	DQA:	Date:	•
			C	A: N	I/C C	losed:	Date:	

NCR:	WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC		Corrective Action Section B		Verification	Annroyal	A I
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
			·					
,		1						
		J						

Date: Monday, 1/7/2008 4:28:59 PM User: Kim Johnston **Process Sheet** Drawing Name: DOOR ASSEMBLY Customer: CU-DAR001 Dart Helicopters Services Job Number: 36652D Part Number: D41269404 Job Number: Seq. #: Description: **Machine Or Operation:** 38.0 Striker Plate D31491 Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Striker Plate D M10536-17 Batch D31501 39.0 Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Guide m10536-17 Batch 40.0 D31541 Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Key M10536-17 Batch D31571 41.0 Spacer Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Spacer M10536-17 Batch 42.0 D3159041 Bracket Assembly Comment: Qty.: 3.0000 Each(s)/Unit Total: 3.0000 Each(s) **Bracket Assembly** B18641 Batch 43.0 D3159044 Bracket Assembly Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) **Bracket Assembly** Batch 44.0 AN52510R7 Comment: Qty.: 4.0000 Each(s)/Unit Total: 4.0000 Each(s) Screw M106166 Batch

Dart Ae	rospace	Ltd								
W/O:		and the state of t	W	ORK ORDER CHA	NGES					
DATE	STEP	PRO	OCEDURE CH	ANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		•								
Part No:		PAR #: Fault Category:		egory:	NCI	R: Yes No DQA:			_ Date: _	
		•	,			QA: N	C Closed	d:	_ Date: _	
NCR:			WORK ORE	DER NON-CONFOR	RMANCE	(NCR)			
		Description of NC		Corrective Action	Section B		Verific	ation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Descripti	on	Sign & Date	Section		Chief Eng	QC Inspector
								t		
***************************************				10 A A A A A A A A A A A A A A A A A A A						

Date: Monday, 1/7/2008 4:28:59 PM User: Kim Johnston **Process Sheet** Drawing Name: DOOR ASSEMBLY Customer: CU-DAR001 Dart Helicopters Services Job Number: 36652D Part Number: D41269404 Job Number: Seq. #: Description: **Machine Or Operation:** 45.0 AN960JD6L Washer Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s) Washer M 5519 Batch 46.0 AN960JD8 Comment: Qty.: 2.0000 Each(s) Total: Washer M 10611Z 47.0 AN960JD8L Comment: Qtv.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Washer m6956 Batch AN960JD10 48.0 Washer Comment: Qty.: 8.0000 Each(s)/Unit Total: 8.0000 Each(s) Washer 106167 Batch 49.0 AN960JD10L Comment: Qty.: 13.0000 Each(s)/Unit Total: 13.0000 Each(s) Washer 104374 Batch 50.0 AN960JD10LL Washer Comment: Qty.: 29.0000 Each(s)/Unit Total: 29.0000 Each(s) Washer M19600 Batch 51.0 ALS463280 Comment: Qty.: 10.0000 Each(s)/Unit Total: 10.0000 Each(s) Insert m17841 Batch

Dail Ac	103hace r	-tu							
W/O:			WC	ORK ORDER CHANG	SES			,- <u>-</u>	
DATE	STEP	PRO	CEDURE CHA	EDURE CHANGE		Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		· 							
Part No	:	PAR #:	Fault Cate	Jory:	NCR: Ye	s No D	QA:	Date:	
		· · · ·						Date: _	
NCR:		V	VORK ORDI	ER NON-CONFORM	ANCE (N	CR)			
DATE	STEP	Description of NC Section A	Initial	Corrective Action Sect Action Description	ion B		fication ction C	Approval Chief Eng	Approval QC Inspector
		Jection A	Chief Eng	Chief Eng	Da			Office Eng	QO IIISPECIOI

Date: Monday, 1/7/2008 4:28:59 PM User: Kim Johnston **Process Sheet** Drawing Name: DOOR ASSEMBLY Customer: CU-DAR001 Dart Helicopters Services Job Number: 36652D Part Number: D41269404 Job Number: Seq. #: **Machine Or Operation:** Description: 52.0 BSP45 Commercial Rivet 34.0000 Each(s) Comment: Qty.: 34.0000 Each(s)/Unit Total: Commercial Rivet M106937 53.0 BSP46 Comment: Qty.: Total: 12.0000 Each(s) 12.0000 Each(s)/Unit Commercial rivet M101237 Batch 54.0 FW4032 Washer Comment: Qty.: 6.0000 Each(s)/Unit Total: 6.0000 Each(s) Washer m 101203 Batch FW10032 Washer 55.0 Comment: Qty.: 16.0000 Each(s)/Unit Total: 16.0000 Each(s) Washer M19249 Batch 56.0 M7885344 Rivets Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Rivets M19099 Batch 57.0 M7885345 Rivet Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Rivet m 1108 Batch 58.0 MS203921C11 Pin Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pin m 18822 Batch

Dart Ae	rospace Lto							
W/O:			WORK ORDER	CHANGES			······································	
DATE	STEP	PR	PROCEDURE CHANGE			Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspecto
Part No		PAR #:	Fault Category:	NCR: Y	es No DC	A:	Date:	
				QA	\: N/C Close	ed:	_ Date: _	
NCR:			WORK ORDER NON-CON	IFORMANCE (N	CR)			
	I		Corrective Actio	n Continu D			<u> </u>	T

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B	3	Verification	Approval	Annaval		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspecto		
		·								
		·								
		•								
		\$								
		,								

Date: Monday, 1/7/2008 4:28:59 PM User: Kim Johnston **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: DOOR ASSEMBLY Job Number: 36652D Part Number: D41269404 Job Number: Seq. #: Description: **Machine Or Operation:** 59.0 MS203922C11 Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pin m/4/49 Batch MS203922C15 60.0 Comment: Qty.: 7.0000 Each(s) 7.0000 Each(s)/Unit Total: Pin M 101340 Batch 61.0 MS21042L3 Comment: Qty.: 7.0000 Each(s)/Unit Total: 7.0000 Each(s) Nut M102658(x2) M105558(x5) Batch MS21042L06 62.0 Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Nut M106612 Batch 63.0 MS24665151 Cotter Pin Comment: Qtv.: 11.0000 Each(s)/Unit Total: 11.0000 Each(s) Cotter Pin Batch SCREW 64:0 MS24694C4 Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) **SCREW** Batch 65.0 MS24694S53 **SCREW** Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) M 15798 **SCREW**

Dart Ae	rospace L	td							
W/O:			V	ORK ORDER CHANGES					
DATE	STEP	PR	OCEDURE CH	ANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
							-		,
Part No	:	PAR #:	Fault Cat	egory: NC	R: Yes 1	No DQ	A:	Date:	
					QA: N/	C Close	d:	_ Date: _	
NCR:			WORK OR	DER NON-CONFORMANCE	(NCR)			
		Description of NC		Corrective Action Section B		Verific	ation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Secti		Chief Eng	QC Inspector
								, , , , , , , , , , , , , , , , , , ,	
,									

Date: Monday, 1/7/2008 4:29:00 PM User: Kim Johnston **Process Sheet** Drawing Name: DOOR ASSEMBLY Customer: CU-DAR001 Dart Helicopters Services Job Number: 36652D Part Number: D41269404 Job Number: Seq. #: Description: Machine Or Operation: 66.0 MS24694S56 SCREW Comment: Qty.: 4.0000 Each(s)/Unit Total: 4.0000 Each(s) **SCREW** M104407 Batch 67.0 MS24694S60 Comment: Qty.: 4.0000 Each(s) Total: 4.0000 Each(s)/Unit Screw Batch 68.0 MS25281R6 Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Clamp M19098 Batch 69.0 MS27039106 Comment: Qty.: 12.0000 Each(s)/Unit Total: 12.0000 Each(s) Screw M106815 Batch 70.0 MS27039108 Screw Comment: Qty.: 6.0000 Each(s)/Unit Total: 6.0000 Each(s) Screw M105076 Batch 71.0 MS35206231 Screw Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Screw m 11735 Batch 72.0 MS356503057 Nut Comment: Qty.: 4.0000 Each(s)/Unit Total: 4.0000 Each(s) Nut M11786 Batch Form: mrocess

W/O:		WORK ORDER CHANGES									
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector				
Part No		PAR #· Fault Category:	NCR: Yes			Date:					

QA: N/C Closed: _____ Date: ____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B		Verification					
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector			
								-			
		·		· · · · · · · · · · · · · · · · · · ·		_					

Date: Monday, 1/7/2008 4:29:00 PM User: Kim Johnston **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: DOOR ASSEMBLY Job Number: 36652D Part Number: D41269404 Job Number: Seq. #: Machine Or Operation: Description: 73.0 MS518597 Washer Comment: Qty.: Total: 3.0000 Each(s) 3.0000 Each(s)/Unit Washer Batch 74.0 NAS116910I Comment: Qty.: 4.0000 Each(s)/Unit Total: 4.0000 Each(s) Washer Batch 75.0 NAS38868F Screw Comment: Qty.: 15.0000 Each(s)/Unit Total: 15.0000 Each(s) Screw M 19098 Batch 76.0 NAS391B6F Washer Comment: Qty.: Total: 16.0000 Each(s) 16.0000 Each(s)/Unit Washer Batch 77.0 NAS43DD340 Spacer Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Spacer M 11737 Batch 78.0 COMPOSITE ASSY COMPOSITE ASSEMBLY Comment: COMPOSITE ASSEMBLY D412-694-04 Assembly Process 1- Install top/bottom of the door, D3112-1 Guard, D3130-1 Clevis Base and D3131-1 Stop (top only) as per Dwg D412-694 page 5 (section AA-AA & FF-FF). 2- Install D3111-041 Plate Assembly. If needed, install temporary D3110-3 Handle as per Dwg D412-694 page 5 (view W and section BB-BB). Note: Adjust D3111-041 high with washer as required. Check that the D3154-1 key doesn't touch the base of the door.

3- Assemble Rod as per Dwg D412-694 page 5 (view W)

Page 12

Form: rprocess

W/O:		WORK ORDER CHA	NGES	· · · · · · · · · · · · · · · · · · ·			We will be a second of the sec
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				,			
	,						

Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date: <u>08/02/2</u> 4
			QA: N/C Closed:	Date:

NCR:		W	ORK OR	DER NON-CONFORMANC	E (NCR)			
		Description of NC		Corrective Action Section B			Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Chief Eng	QC Inspector
08 02 07	78	Because the Shape of the door, D3430-1 Should Touch the door But the level D3125-1 and D3112-1 are longer.	15 08.02.07	For the lever \$3125.1 Work freely, Should add Between \$3130-1 and Bettom of door Nylon Washer NAS 1515 H7 M17755	m 08/00/07	JUSA 19	48 08,0207	10802-15

Date: User:

Monday, 1/7/2008 4:29:00 PM

Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: DOOR ASSEMBLY

Job Number: 36652D

Part Number: D41269404

Job Number:



Seq. #:

Machine Or Operation:

Description:

- 4- Assemble D3147-1 Pin to the lever as per Dwg D412-694 page 5 (section AA-AA & FF-FF).
- 5- Connect Rods and D3111-041 Plate Assembly as per Dwg D412-694 page 5 (view W).
- 6- Install D3111-041 and mechanism in place. Use D3110-3 Handle to make lock and mechanism of the rod work properly. Mark the center NAS1169-10L washer into the door and drill (#10) Ø0.193". C'sink Ø0.385 x 100° from far side of the door. Ensure D3111-041 is level with inside door surface as per Dwg D412-694 page 5 (view W).
- 7- Install (1) D3159-041 bracket assembly to side of the window. Transfer hole from the door to D3159-041 bracket. Drill Ø(#30) C'sink for the rivet (note: use 1" pitch holes) as per Dwg D412-694 page 5 (view W) and (section LL-LL).
- 8- Drill (#19), C'sink Ø0.332 x 100°. Install MS25281-R6 Clamp as per Dwg D412-694 page 5 (view W). Ensure Rod moves freely when installing clamps.
- 9- Install (1) D3159-044 bracket assembly. Transfer (2) holes from the door to the bracket. Install (1) M7885/3-4-5 rivet and install the second rivet with the doubler.

Note: Layout properly as per Dwg D412-694 page 5 (view W). Note: Second hole will be done with doubler and seal.

- 10- Drill (4) (#10) Ø0.193" holes from D3150-1 guide by laying out doublers with temporary seal segment with strike plate. Check location of strike plate by laying out small and large door together. Note: Position strike plate when big door is in locked position.
- 11- Open (#30) pilot hole to Ø"G" (0.261) in the door for ALS4-632-80 insert. Install insert as per Dwg D412-694 page 3.
- 12- Install Doublers and D3159-041 bracket. Cut slot openings from the door to D3116-5-0680 Seal as per Dwg D412-694 page 3 (section JJ-JJ)
- 13- Install D3150-1 Guide top/bottom as per Dwg D412-694 page 5 (view DD & CC). Note: Install D3128-1 shim as required.
- 14- Install Hinge Bracket and D3113-1 Spring as per Dwg D412-694 page 3 & 4 (view MM-MM).

15- Install top/bottom Covers. Attach D3116-11-0180 Seal as per Dwg D412-694 page 3 Batch: M 105700 Expiry: 23 A/R RTV732 Clear

FOR D412-694-011 ONLY

16- Drill Pilot holes Ø(#1/8") for D3119-042 cover using drilling Jig D3119-042T1/T2 as per Dwg D412-694 page 3. Trim D3119-042 Cover Assembly and transfer Ø(#30) holes using hole finder tool from the door to the cover. Open holes to Ø5/32" (0.156).

17- Install D3119-042 Cover and Assemble Handle as per Dwg D412-694 page 3 & 5 (section BB-BB).

Dart Ae	rospace	Ltd							
W/O:			WC	ORK ORDER CHANGES	S				
DATE	STEP	PRO	OCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				**					
Part No	:	PAR #:	Fault Cate	gory:	NCR: Yes	No DQ	A:	Date:	
					QA: N	C Close	d:	Date: _	·
NCR:		\	NORK ORDI	ER NON-CONFORMAN	CE (NCR)			
5		Description of NC		Corrective Action Section E		Verific	ation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Secti		Chief Eng	QC Inspector
							1		

Date: Monday, 1/7/2008 4:29:00 PM User: Kim Johnston **Process Sheet** Drawing Name: DOOR ASSEMBLY Customer: CU-DAR001 Dart Helicopters Services Job Number: 36652D Part Number: D41269404 Job Number: Seq. #: Description: Machine Or Operation: Align properly. INSPECT WORK TO CURRENT STEP 79.0 QC5 Comment: INSPECT WORK TO CURRENT STEP Install door on mock up helicopter to insure proper fit and function. SMALL & MEDIUM FAB RESOURCE 1 80.0 SMALL FAB 1 Comment: SMALL & MDDIUM FAB RESOURCE 1 (Put red label inside before puting the cover D3119-042/or Vip trim) PACKAGING RESOURCE #1 81.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 82.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE 2008/2/26 Job Completion

PT0

W/O:		WORK ORDER C	HANGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No:	_ PAR #:	Fault Category:	NCR: Yes No	DQA:	Date:
			QA: N/C	losed:	Date:

NCR:			WORK OR	DER NON-CONFORMANC	E (NCR)			
\		Description of NC		Corrective Action Section B		Verification	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector
08/07/19	80	Request from QC	Posiur	add RTV 732 clear m 105700 Ex. 23 July 2009 in all rivets when install 23116-5 Seal	08/02/19	10000-1U	Lasiver	tra.s
							-	

45	98	Gy GS	CDY -O4	Part Number	Description
X				D412-894-01	DOORASSEMBLY
	X	<u> </u>		D412-694-02	DOORASSEMBLY
		X		D412-894-03	DOOR ASSEMBLY
			X	D412-694-04	DOOR ASSEMBLY
	1	T			
	I	1	1	D3110-1	ESCUTO-EON
	T	1	1	D3110-3	HANDLE
1	1			D3110-5	HANDLEASSEMBLY
	T	1	1	D3111-041	PLATE ASSEMBLY
		2	2	D8112-1	GUIDE
[1	1	D3113-1	SHRING
		1	1	D8114-1	PIVOT
1	11			D8115-1	BRACKET
		1	1	D8116-11-0180	SEAL
	1	1	1	DB116-5-0680	SEAL
1	1	1		DB116-7-0680	SEAL
1	1	1		D3116-9-0770	SEAL
	143	1		D3119-041	COMERASSEMBLY
1	13	T	1	D8119-042	COMERASSEMBLY
34	27	1	<u> </u>	D3120-1	COVER
-	1	13	1	D3120-2	COVER
\vdash	†	1		D31203	OOMER
\vdash	1	† ·	1	D3120-4	OMER
3	3	1	⊢ ∸	D8121-041	BRACKET ASSEMBLY ("ROLLER")
1	+	+	-	D3121-043	BRACKET ASSEMBLY (ROLLER)
<u> </u>	1	 	_	D3121-044	BRACKET ASSEMBLY (ROLLER)
1	1 ;	+	-	D3122-1	LEVER
1 2	2	 	-	D3123-1	CAM
1	1	1	-	D3124-1	HOOK
1	1 ;	1 -		D3124-2	HOOK
一	+	1	1	D3125-1	LEVER
-	┼	1	1		
\vdash	1	1	1	D31253	LEVER_
<u> </u>	+	1	+	D8125-5	UEVER
1	1	- ' -	<u> </u>	D8125-7	LEVER
1	1	-	\vdash	D3126-1 D3126-3	BRACKET ('SUDER')
5	5		-	D8126-5	BRACKET (SUDER)
1	1		┝	D3127-1	BRACKET (SUDBY)
-	 	1	1	D3128-1	SPACER
-	+	1 2	2	D3129-1	LEVER
-	+	2	2		OLEMS BASE
				D8130-1	
1	+	1.1	1	D3131-1	STOP
1	1	-	-	D3132-041	RODVELDMENT
-	1	-		D3132-042	RODVELOMENT
1	+-	\vdash		D3133-041	RODWELDMENT
1	-	-	-	D3133-042	ROOMELDMENT
-	+		-	D3134-1	ROD
1	+-	1		D3134-3	1.00
1	++	\vdash		D3135-041	HANDLEMETONBAL
1	+			D3137-046	BRACKET ASSEMBLY
1	+ -		<u> </u>	D3138-1	COVER
	1	—		D8138-2	COVER .
1	1.	1		D3139-1	GUARO
1	١.	1		D3139-3	GUARO
<u> </u>	11	1—	<u> </u>	D3139-4	GUARO
والرا	h	ш	<u> </u>	D8140-05	DOOR
	-1			D314D-06	DOOR
11 7	<u> </u>			D3140-07	DOOR
1-1	ਹ		1	D3140-08	DOOR
72	~2			D8141-1	SPRING
Z		1	1	D8143-1	QLEVIS
- 1 NN 10-	۳٥	3	3	D8143-3	CLEVIS
卓	FC.	1		D3144-1	DOUBLER
1	1			D8144-3	DOUBLER
	1	1		D8144-105	DOUBLER
_					+

DOUBLER

D3144-107

1

dy &	Cty 42	Cby -03	Cty 4	Part Number	Description
1	1	-		D3144-111	DUBLER
	1			D3144-115	DOUBLER
			1	D3144-117	DOUBLER
			1	D3144-121	DOUBLER
			1	D3144-119	DOUBLER
	1			D3144-123	DOUBLER
1	1			D3144-13	DOUBLER
		1		D3145-1	HNGEBRACKET
			1	D3145-2	HNGEBRACKET
		1		D3146-1	HNGEBRACKET
			1	D3146-2	HNGEBRACKET
_		2	2	D3147-1	FIN
2	2		<u> </u>	D3148-1	CLEVIS
		2	2	D3149-1	STRIKERPLATE
		2	2	D3150-1	GUIDE
1	1	<u> </u>	┢╼	D3151-041	DOUBLERASSEMBLY
1				D3152-041	BRACKET ASSEMBLY
	1		\vdash	D3152-042	BRACKET ASSEMBLY
		1	1	D3154-1	KEY
1	1	·	- ' -	D3155-041	BRACKET ASSEMBLY
+	1	_	-		
2	2		-	D3155-042	BRACKETASSEMBLY
-			_	D3155-1	BRACKET
_	<u> </u>	2	2	D3157-1	SPACER
_	_	3	3	D3159-041	BRACKET ASSEMBLY
	<u> </u>	1	ļ	C3159-043	BRACKETASSEMBLY
			1	D3159-044	BRACKETASSEMBLY
10	9			D3162-041	BRACKETASSEMBLY
1		1		D3162-043	BRACKETASSEMBLY
1		1	L	D3162-044	BRACKET ASSEMBLY
1				D3163-041	COMERASSEMBLY
	1			D3163-042	COMERASSEMBLY
1				D3183-041	BRACKET ASSEMBLY (ROLLER)
	1			D3183-042	BRACKET ASSEMBLY (ROLLER)
-	1			D3203-1	HANDLE ASSEMBLY
2	2			D3308-1	DOUBLER
55	55	21	21	80-0052-8	INSERT (OR SL2052-3-4)
10	10			AN525-10P6	SOREW
8	8	4	4	AN525-10R7	SOREW
		8	В	AND60JD10	WASHER
18	18	4	4	ANDBOADIOL	WASHER
13	13	32	30	AN960JD10LL	WASHER
6	6			ANDGOLID416L	WASHER
		4	4	ANDSOLIDEL	WASHER
6	6	,		ANGEOLDS	WASHER
∸	Ť	2	2	ANEGOLIDBL	WASHER
		2	2	ANGROLDBLL	WASHER
\dashv		10	10	ASL4632-80	INSERT
87	87	50	50		
- 0	-0/	12	12	BSP45	RVET
				FW10-032	WASHER
		6	6	FW4-032	WASHER
ᆔ			1	M7885/2-4	RIVET (OR OR3213-4-3)
12	12		_		RIVET (OR OR3212-4-3)
12	12	3	3	M7885/3-4	
12	12	. 2	2	M520392-1C11	PIN
				MS20392-1C11 MS20392-2C15	PIN PIN
2	2	7	7	MS20392-1C11 MS20392-2C15 MS20392-2C17	PIN PIN PIN
2 2	2	. 2	2	MS20392-1C11 MS20392-2C15 MS20392-2C17 MS20392-2C9	PIN FIN PIN PIN
2	2 2 2 2	7	7	MS20392-1C11 MS20392-2C15 MS20392-2C17 MS20392-2C9 MS20392-3C21	PIN PIN PIN
2 2	2	7	7	MS20392-1C11 MS20392-2C15 MS20392-2C17 MS20392-2C9	PIN FIN PIN PIN
2 2 2 2	2 2 2 2	7	7	MS20392-1C11 MS20392-2C15 MS20392-2C17 MS20392-2C9 MS20392-3C21	PIN PIN PIN PIN PIN PIN

9.9	S S	Oty 43	City -04	Part Number	Description
-20-	20			MEZDIZSADI	PIVET
		6	6	M521042L06	NUT
6	6	2	2	MS21042L08	NUT
		5	5	MS21042L3	NUT
4	4			M521042L4	NUT
4	4			MS21072-L3	NUTPLATE
6	6	9	9	MS24665-151	COTTERAIN
4	4			M524693-S271	SOREW
		2	2	MS24694-C4	SCREW
4	4			M524694-O5	SOREW
6	6			M624694-S5	SCREW
18	18			M524694-S50	SCREW
		4	4	M524694-556	SCREW
		2	2	M524694-S53	SOREW
		4	4	M524694-380	SOREW
4	4			MS24894-S98	SCREW .
		2	2	MS25281-R6	CLAMP
2	2	2	2	MS27039-1-05	SOREW
14	14	12	12	M527039-1-06	SCREW
13	13	6	6	MS27039-1-08	SOREW
		2	2	MS35206-231	SOFEW
2	2			M636275-233	SOREW
2	2			MS35649-264	NUT .
		4	4	MS35650-305T	NUT
2	2			MS35650-3252	NUT
2	2	3	3	MS51859-7	WASHER
		4	4	NAS1169-10L	WASHER
		14	14	NAS388-6-8P	SOREW
		15	15	NAS391B6P	WASHER
7	7			NAS43IDD3-10	SPACER
6	6			NAS43003-14	SPACER
		2	2	NAS4300340	SPACER

GENERAL NOTES:

RORADUSTIMENT OF LOCKING MECHANISM FROR TO COCORASSEMELY, SET AT UNLATED FOOTION AND ADJUST SOFEWINA APOLINTIL DIS124-1/2 HOCK RESTS ASANST CUTOUT SHOWN IN VIEWN

/2 IF RECURRED, NOTCH DOISE-1 LEVER (REP.) TO CLEAR THE DOISD-1 CLEVIS BASE.
| REF. 2 PLACES) TO ALLOW FOR FULL TRAVEL OF THE LEVER.

HOLES AND PARTIS TO BE LOCATED PER CPILLING JIGS. BIO-200001; DI 144-TI/TX-TX DTROUGS, DISEQUENT (FOR ~01 DOOR ASSY); BIO-200000; DI 144-TI/-TBTB DTB-TX-DB-TX (FOR-04 DOOR ASSY)

INSTALL INSERTS PER DART QS 006. LOCATE TO MATCH HOLE PATTERN OF MATINGPARTS

- TOLERANCES ARE PERDART OB 018 UNLESS OTHERWISE NOTED
 ALL DIMENSIONS ARE ININCHES
 DENTIFY DR12684-014-024-024-04 DOOR ASSEMBLIES USING D2729-1 DECALS

DESIGN	N DRAWN BY	0407 450000445 450	
Α	02.05.21	NEW ISSUE	
В	04.10.07	UPDATE DRAWING	
С	05.11.23	ADD D3137-045, D3162-043/-044; REMOVE D3137-041; UPDATED NOTES	
Cı	₩ 06.03.28	ADD OPTION M7885/3-4	

COPYRIGHT @ 2002 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

_		0 11.10.07	01 07112 0.011111	
Α		02.05.21	NEW ISSUE	
DESIG	CP	DRAWN BY RF	DART	DART AEROSPACE LTD. HAWKESBURY, ONTARIO, CANADA
CHECK	(ED	APPROVED	DRAWING NO.	REV. C
	#	1	D412-694	· SHEET 1 OF 6
DATE			TITLE	SCALE
05.1	1.23 .	_	DOOR ASSEMBLY	NTS

UNCONTROLLED COPY
SUBJECT TO AMENDMENT
SUBJECT TO AMENDMENT
WITHOUT NOTICE









